


## Mini Sight Minimal 1M

code MS50.9TWW/01





### PRODUCT DESCRIPTION

Square recessed fixture without frame. Adjustable pull-out optic

### PRODUCT SPECS

|                              |                                      |
|------------------------------|--------------------------------------|
| Installation method          | Trimless recessed                    |
| Light source                 | GU10                                 |
| Absorbed power               | 50 W                                 |
| Color temperature            | Tunable White                        |
| Color rendering index CRI    | Depending on the bulb (not included) |
| Optic                        | Wide 46°                             |
| Finishing                    | White                                |
| Luminous flux of the product | Depending on the bulb (not included) |
| Luminous efficiency          | Depending on the bulb (not included) |
| Energy efficiency class      | E-G                                  |
| Weight                       | 0.55 Kg                              |
| Dimension                    | L96xW96xH135 Ø55 mm                  |
| IP Grade                     | IP20                                 |
| Power supply/Transformer     | Not included                         |
| Protocol                     | See power supply                     |



### WEB PAGE



### ASSEMBLY INSTRUCTIONS




## MANDATORY ACCESSORIES

### Accessori Wallbox Frame for Mini sight 1M

code MSC21

inspectable Frame to Be Fixed and plastered in 15mm height plasterBoard False ceilings




Technical Sheet



### Box mini sight 1M

code MSC11

Galvanized metal wallbox to be recessed in brick walls or reinforced concrete to fit the article MINI INCAS 1M



Technical Sheet



