



Incas 45

code IN45G9/01



PRODUCT DESCRIPTION

Fixed recessed luminaire for accent lighting. Body and rebate frame metal painted in white colour. It can also be installed in concrete or brick walls and ceilings by means of a galvanised sheet metal formwork available as an accessory. Suitable for lamp (not included) with G9 230V socket. Protection class IP20.

PRODUCT SPECS

Installation method	Recessed with frame
Light source	QT-14 c
Absorbed power	60 W
Finishing	White
Energy efficiency class	D
Dimension	L100xW80xH100 mm
Hole size	92X90 mm
IP Grade	IP20

WEB PAGE




ASSEMBLY INSTRUCTIONS



OPTIONAL ACCESSORIES

Accessori Frosted glass diffuser




code VT/IN45.90

Collection of recessed fixture designed with square frame. Mount different light sources: halogen 12V, 230V or 1W 3W LED. Direct light or diffused light thanks to an optional frosted glass. 90 and 45 indicate the angle of light: 90° for INCAS 90 and IINCAS 90 MICRO and 45° for INCAS 45 and INCAS 45 MICRO. Available steel housing for brick walls.

Technical Sheet



Accessori Wallbox Wallbox incas 90 – 45



code CC94

Galvanized metal wallbox to be recessed in brick walls or reinforced concrete to fit the article INCAS 90,45.

Technical Sheet



