

# Mini Sight Frame 1

code MS10.9TWF/01























### **PRODUCT DESCRIPTION**

Square recessed fixture without frame. Adjustable pull-out optic

#### **PRODUCT SPECS**

Installation method	Recessed with frame
o.aao	
Light source	LED
Absorbed power	12 W / 18 W
Color temperature	Tunable White
Color rendering index CRI	>90
Optic	Flood 27°
Finishing	White
MacAdam color tolerance	2
Life time estimate	2SCDM 50.000h L90 B10 ta25°
Protocol	On/Off
Energy efficiency class	D
Weight	0.60 Kg
Dimension	L110xW110xH135 Ø55 mm
IP Grade	IP20
Protection Class	Class III appliance
Power supply/Transformer	Not included
Protocol	See power supply





## **WEB PAGE**







Complies with EN605981 and related notes. In the absence of metric symbols, the measurements are all in millimetres.

Luminous flux and power data are initially subject to tolerances +/- 10%. The values refer to an ambient temperature of 25°C unless otherwise specified. We reserve the right to make changes to our products at any time.

### **MANDATORY ACCESSORIES**

# Accessori Wallbox Wallbox mini sight 1

code MSC01

Galvanized metal wallbox to be recessed in brick walls or reinforced concrete to fit MINI INCAS 1.



