

Mini Sight Frame 4

code MS40.9TWS/01



















PRODUCT DESCRIPTION

Square recessed fixture with frame, 4 lamps. Adjustable pull-out optic.

PRODUCT SPECS

Installation method	Recessed with frame
Light source	LED
Absorbed power	4x12 W / 4x18 W
Color temperature	Tunable White
Color rendering index CRI	>90
Optic	Spot 15°
Finishing	White
MacAdam color tolerance	2
Life time estimate	2SCDM 50.000h L90 B10 ta25°
Protocol	On/Off
Energy efficiency class	D
Dimension	L207xW207xH135 Ø55 mm
IP Grade	IP20
Protection Class	Class III appliance
Product Spec	Square shape
Power supply/Transformer	Not included
Protocol	See power supply



355° L'O	135 193 Ø55
-------------	-------------------

WEB PAGE







Complies with EN605981 and related notes. In the absence of metric symbols, the measurements are all in millimetres. Luminous flux and power data are initially subject to tolerances +/- 10%. The values refer to an ambient temperature of 25°C unless otherwise specified. We reserve the right to make changes to our products at any time.

MANDATORY ACCESSORIES

Box mini sight 4

81

code MSC04

Galvanized metal wallbox to be recessed in brick walls or reinforced concrete to fit MINI sight 4.



